



ACADEMY

FOR BIOENERGETICS

INTERNATIONALE LEHR- UND FORSCHUNGS-
ANSTALT IM FÜRSTENTUM LIECHTENSTEIN

© AFB Schliessa 12, FL-9495 Triesen

AFB Report VI 02/02

Use of the BEMER-Therapy in treating tinnitus

Tinnitus is the medical name for a ringing or buzzing of the ear. Those afflicted hear sounds that do not exist in reality. They occur in one or both ears as whistling, ringing, hissing or droning sounds. Tinnitus can either be permanent or sporadic.

Tinnitus is not a separate illness, but rather a symptom. Many possible illnesses or injuries might be its cause, eg damage to the inner or middle ear, acute trauma, acute hearing loss, Menière`s disease, blood circulation disturbances, hyper- and hypotonie, brain damage or other organic damage, as well as psychosomatic and mental illnesses and poisoning (mercury, carbon monoxide etc.). By far the most frequent triggers of tinnitus are extreme noise and classical stress situations.

Effective treatment of tinnitus is only possible if the cause can be clearly identified. This usually requires a wide range of diagnostic tests and frequent visits to medical specialists. Depending on the basic organic illness, medication to increase the blood circulation and to widen the blood vessels (vasodilators, calcium antagonists) or autogenic training (stress reduction) can lead to alleviation or even a cure.

Unfortunately cases where the cause cannot be established are becoming more and more frequent. Often blood thinning and circulation medications are prescribed, albeit without much success. In cases of chronic tinnitus, special hearing aids (tinnitus maskers) can be used. They serve to „cover“ or „erase“ the disturbing noises by transmitting timed sounds. „Retraining therapy“ is also often recommended, where the patient learns consciously to overhear the noise. These are pure symptomatic therapies whose aim is to suppress the tinnitus symptoms without any possibility of healing.

Treatment with the BEMER-Therapy offers an alternative. This method has no side effects. Its aim is not only to improve the blood circulation and oxygen supply of the individual cells, but also to better regulate the entire metabolic system by means of pulsating electromagnetic fields. This allows the tinnitus symptoms to be treated positively regardless of the cause.

The following effects of the BEMER-Therapy in treating tinnitus are significant:

General effects

- improved blood circulation
- increased oxygen concentration in the blood
- improved blood flow
- overall metabolic regulation of the cells
- improved functioning, differentiation and regeneration of the cells
- improved regulation, communication and coordination of the cells with each other

Potential effects on tinnitus in cases where the cause is unclear

- activation of the body's own nitric monoxide system leading to a widening of the blood vessels and thus to improved blood circulation, especially in the microcirculation
- regulation of the metabolic processes and activation of the so-called „repair proteins“ significantly aids the regeneration of the damaged cell clusters

General recommendations for use in treating tinnitus

The coil mat should be used 2 or 3 times daily in accordance with the basic plan (Levels 3-6, see User Tips).

In addition the intensive applicator with P4 should be applied behind the afflicted ear.


In cases of double-sided tinnitus the applicator should be applied behind both ears.

Further measures can support the BEMER –Therapy. These include the elimination of risk factors, such as mental stress, smoking, overweight as well as sufficient movement in the fresh air. In therapeutic areas positive results can be achieved through acupuncture (needles, lasers and electro-acupuncture), clarification and, if possible, removal of heavy metals (amalgam), oxygen cures and the intake of ginkgo extracts.

The effects of the electromagnetic field of the BEMER 3000-Therapy System on humans have been well documented in a European wide study conducted by physicians under the auspices of the AFB. A total 1.116 cases were evaluated. Since a number of the participants suffered from several illnesses, this resulted in a total of 2.031 cases. The average therapy time was six weeks and 33 cases were evaluated (see graph).

The results were as follows:

Excerpt from medically documented cases in the User Study
of the BEMER 3000 System



literature:

1. Kafka, W. A., Extrem langsam und breitbandig gepulste elektromagnetische Felder niedriger Energie für den therapeutischen Einsatz, EMPHYSPACE REPORT 02.02.99
2. Michaelis, H., Fachinformation BEMER 3000 – Therapie, ACADEMY for bioenergetics, 5/99
3. Akademie für Bioenergetik, Fürstentum Liechtenstein, Ärztliche Anwenderstudie, 09/03

© AFB 29. Januar 2004

Translation by: Thomas E. Galvin (2005)